Product data sheet

Link arm TS 4000 EFS / RFS

with free swing function / free swing

AREAS OF APPLICATION

- For combination with a TS 4000 EFS/RFS free swing door closer
- Right and left single-action doors

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com
2026-11-14T03:52:40Z

Link arm TS 4000 EFS / RFS

PRODUCT FEATURES

→ Can be used up to 70 mm reveal depth with transom installation

TECHNICAL DATA

Productname	Link arm TS 4000 EFS / RFS
Free swing area	80 ° - 175 °
Hold-open function	No
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	EAN
Link arm TS 4000 EFS/RFS	with free swing function / free swing	106462	according to RAL	4042938064620
Link arm TS 4000 EFS/RFS	with free swing function / free swing	106460	silver-coloured	4042938064606

INSTALLATION MATERIAL

MOUNTING PLATE LINK ARM *

for TS 4000/TS 2000, with slim frames

Designation	Description	Ident-No.	Colour	Material	EAN
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	082506	according to RAL	Aluminum	4106030825067
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	057109	silver-coloured	Aluminum	4106030571094

MOUNTING PLATE LINK ARM

For TS 4000/TS 2000 for parallel arm installation

Link arm TS 4000 EFS / RFS

Designation	Description	Ident-No.	Colour	Material	EAN
Mounting plate link arm *	for TS 4000/TS 2000, for parallel arm installation	053319	dark bronze	Aluminum	4106030533191
Mounting plate link arm *	for TS 4000/TS 2000, for parallel arm installation	027460	according to RAL	Aluminum	4106030274605
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	053318	silver-coloured	Aluminum	4106030533184

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.