

Product data sheet

Link arm TS 4000 / 2000 elongated



For transom installation with reveal depth between 70-170
mm

AREAS OF APPLICATION

- For large reveal depths
- Right and left single-action doors

Link arm TS 4000 / 2000 elongated



PRODUCT FEATURES

→ For use with transom installation from 70-170 mm reveal depth

TECHNICAL DATA

Productname	Link arm TS 4000 / 2000 elongated
Hold-open function	No
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour
Link arm TS 4000/2000 elongated	Extended, for transom installation with reveal depth between 70-170 mm	102434	according to RAL
Link arm TS 4000/2000 elongated	Extended, for transom installation with reveal depth between 70-170 mm	102431	silver-coloured
Link arm TS 4000/2000 elongated	Extended, for transom installation with reveal depth between 70-170 mm	102433	white RAL 9016

INSTALLATION MATERIAL

MOUNTING PLATE LINK ARM *

for TS 4000/TS 2000, with slim frames



Designation	Description	Ident-No.	Colour	Material
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	082506	according to RAL	Aluminum
Mounting plate link arm	for TS 4000/TS 2000, with slim frames	057109	silver-coloured	Aluminum

Link arm TS 4000 / 2000 elongated



MOUNTING PLATE LINK ARM

For TS 4000/TS 2000 for parallel arm installation



Designation	Description	Ident-No.	Colour	Material
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	053319	dark bronze	Aluminum
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	027460	according to RAL	Aluminum
Mounting plate link arm	for TS 4000/TS 2000, for parallel arm installation	053318	silver-coloured	Aluminum

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.