


Product data sheet

Revo.PURE *



Automatic revolving door system for three- or four-leaf doors

AREAS OF APPLICATION

- Three- and four-leaf door systems
- Interior and exterior doors with high access frequency
- Representative building entrances with large incidence of light
- Façades with slim mullion-transom constructions
- Inner diameter from 1800 to 3800 mm possible

PRODUCT DESCRIPTION

As the entry-level model in the GEZE revolving door range, the Revo.PURE combines reliable GEZE technology with a clean, minimalist design. It is the ideal solution for entrance areas where a cost-effective solution is required without compromising on quality.

PRODUCT FEATURES

- Advanced drive technology, combined with the latest GEZE control technology, ensures maximum ease of access whilst keeping energy consumption low
- Precise closing of the door leaves with the side walls
- Customised selection of diameter, passage height and surfaces
- Effective insulation effect against draughts, weather and noise
- Easy assembly of the door system without lifting tools
- Certified in accordance with EN 16005

TECHNICAL DATA

Productname	Revo.PURE *
Fully automatic operation	Yes
Suitability for escape and rescue routes	No
Break-out function (BO)	No
Inner diameter (min.)	1800 mm
Inner diameter (max.)	3800 mm
For 3-leaf door systems	Yes
For 4-leaf door systems	Yes
Clear passage height	3000 mm
Canopy height (min.)	200 mm
Side elements version	8 mm LSG
Version of roof structure	optical sheet metal covering, waterproof roof with waterspout
Illumination	with roof variant, according to customer wishes
Floor covering	Entrance mat, Entrance mat, according to the customer's request
Hot-air curtain system	hot water air curtain, Electric air curtain, possible, depends on the ceiling construction
Night-time closer layout	Outside
Night-time closer type	Manual
Night-time closer design	8 mm LSG
Lock	Manual
Door handles horizontal or vertical	Yes
Floor ring	Yes
Push pad	Yes
Standard conformity	EN 16005



* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.