

Product data sheet

E guide rail TS 5000



with electric hold-open device and lever

AREAS OF APPLICATION

- Single leaf doors
- Hold-open systems with integrated hold-open device
- Installation on hinge side
- Right and left single-action doors

E guide rail TS 5000



PRODUCT FEATURES

- Electric hold-open device in the guide rail with hold-open area of 80°-130°
- Retention force of the electromechanical hold-open device can be variably adjusted
- Operating voltage 24 V DC
- Height compensation of +/- 2 mm possible
- With screwed slide block

TECHNICAL DATA

Productname	E guide rail TS 5000
Input voltage	24 V DC
Electrical power consumption	2.4 W
Duty rating	100 %
Residual ripple	20 %
IP rating	IP43
Standard conformity	EN 1155
Length	498.5 mm
Width	40 mm
Height	30 mm
opening restrictor upgradable	Yes
Hold-open function	Electrical
Hold-open device can be overridden	Yes
Hold-open range	80 ° - 130 °
Smoke switch integrated	No
Height correction possible	Yes
Flexible opening restrictor	Yes

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Dimensions	Hold-open point min.
E guide rail TS 5000	with electric hold-open device and lever	116295	silver-coloured	498.5 x 40 x 30 mm	80 °
E guide rail TS 5000	with electric hold-open device and lever	116298	Stainless steel optic	498.5 x 40 x 30 mm	80 °
E guide rail TS 5000	with electric hold-open device and lever	116299	according to RAL	498.5 x 40 x 30 mm	80 °
E guide rail TS 5000	with electric hold-open device and lever	116297	white RAL 9016	498.5 x 40 x 30 mm	80 °

ACCESSORIES**FLEXIBLE OPENING RESTRICTOR**

For E and R guide rails, 1- and 2-leaf



Designation	Description	Ident-No.	Material
Flexible opening restrictor	for guide rail 1-leaf: TS 5000 E/R/RFS (door leaf installation), Boxer E; 2-leaf: all E/R/ISM variants TS 5000 (incl. VPK) and Boxer	145311	Plastic

INSTALLATION MATERIAL**MOUNTING PLATE GUIDE RAIL ***

for E guide rail



Designation	Description	Ident-No.	Colour	Material
Mounting plate guide rail *	for E guide rail	123294	silver-coloured	Aluminum
Mounting plate guide rail *	for E guide rail	123295	according to RAL	Aluminum

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.