

Product data sheet

ECdrive T2 drive *



Automatic linear sliding door drive for doors with up to 140 kg
leaf weight



AREAS OF APPLICATION

- Single and double leaf sliding door systems
- Interior and exterior doors with high access frequency
- Complete solution for entrance areas with GCprofile Therm and fanlight
- If extra impermeability or energy efficiency are needed
- Opening widths from 700 to 3000 mm possible
- Suitable profile systems are fine-framed profile systems with insulating and MONO glass, GCprofile Therm, toughened safety glass clamping profile, on-site frame and wooden leaves

PRODUCT DESCRIPTION

With its streamlined design, the ECdrive T2 guarantees new design possibilities and an outstanding price-performance ratio. Energy efficiency is additionally improved in conjunction with the GCprofile Therm profile system.

PRODUCT FEATURES

- Slim design with a cover height of just 100 mm for greater creative freedom
- With double roller carriage and GCprofile Therm up to 140 kg leaf weight
- Efficient installation thanks to pre-drilled tracks and elongated holes
- Full floor guide available for controlled diversion of rainwater
- Integrated cable routings make cable laying easier
- Can be networked, and integrated into the building automation via open standard (BACnet)
- Independent error recognition and recording
- Freely configurable inputs and outputs for different functions
- Integrated battery for emergency opening and closing in the event of a power failure
- Self-cleaning roller carriage reduces maintenance effort and costs
- Various mechanical and electrical locks are optionally available

TECHNICAL DATA

Productname	ECdrive T2 drive *
Height	100 mm
Depth	190 mm
Service temperature	-15 - 50 °C

**VARIANTS / ORDER INFO**

Designation	Description	Ident-No.	Colour	Supply voltage	Dimensions
ECdrive T2 drive *	Drive system for linear sliding doors in high traffic areas	180374		230 V	100 x 190 mm
ECdrive T2 drive, length: 2100 mm *	Drive system for linear sliding doors in high traffic areas	210298	EV1		2100 x 100 x 190 mm
ECdrive T2 drive, length: 3100 mm *	Drive system for linear sliding doors in high traffic areas	210297	EV1		3100 x 100 x 190 mm
ECdrive T2 drive, length: 4100 mm *	Drive system for linear sliding doors in high traffic areas	210296	EV1		4100 x 100 x 190 mm

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.