

Product data sheet

Additional locking mechanism for OL 320



Additional locking mechanism OL 320

AREAS OF APPLICATION

- Locking mechanism on the rectangular and bespoke angular window
- Can be used in combination with an OL 320 scissor on inward-opening bottom-hung windows
- Installation on wooden, plastic and aluminium windows
- Frame and leaf installation

Additional locking mechanism for OL 320



PRODUCT FEATURES

- Visible locking mechanism – component on the frame engages with component on the leaf
- Improvement of tightness and safety
- No on-site central locking required for safe locking
- Can be operated with the hand lever, crank and E 212

TECHNICAL DATA

Productname Additional locking mechanism for OL 320


VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour
Additional locking mechanism for OL 320 *	without additional angle bracket, overlap height 12-25 mm	018257	white RAL 9016
Additional locking mechanism for OL 320 *	without additional angle bracket, overlap height 12-25 mm	013080	according to RAL
Additional locking mechanism for OL 320 *	without additional angle bracket, overlap height 12-25 mm	063974	EV1

ACCESSORIES

ADDITIONAL BRACKET OL 320 *

For the additional locking mechanism for OL 320



Designation	Ident-No.	Colour
Additional bracket OL 320 *	015519	white RAL 9016
Additional bracket OL 320 *	013077	according to RAL
Additional bracket OL 320 *	050727	EV1

Additional locking mechanism for OL 320



* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.