Product data sheet

Terminal T 320 AP – EN 13637 *

Slave control unit for bidirectional escape routes with a TZ 320 with integrated key switch

AREAS OF APPLICATION

- Terminal functions as additional interface for a TZ 320 to trigger an indirect release of a bi-directional emergency exit
- Realisation of a bidirectional emergency exit
- Realisation of an escape balcony

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com
2026-11-14T03:57:13Z

Terminal T 320 AP – EN 13637 *

PRODUCT FEATURES

- Flat impact cover enables fast and safe activation of the illuminated emergency push button in panic situations
- Coloured connectors facilitate electrical connection
- Integrated key switch enables authorised passing through the emergency exit
- Illuminated emergency exit sign improves visibility

TECHNICAL DATA

Productname	Terminal T 320 AP - EN 13637 *
Width	77 mm
Height	197 mm
Depth	88 mm
Type of installation	Surface-mounted
Service temperature	-10 - 55 °C
IP rating	IP30
Operating voltage	24 V DC
Current consumption	130 mA
Supply voltage	24 V DC
Sabotage contact	Yes
Emergency push button	Yes
Visual display	yes
Volume	75 db
Type of cylinder	Euro profile half cylinder
With ribbon cable	Yes
Conforms to the EltVTR (guidelines for electronic locking systems)	No
Conforms to EN 13637	Yes

VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Dimensions	Operating voltage
Terminal T 320 AP - EN 13637 *	Consisting of:; Control unit with emergency push button,; Key switch with Euro profile half cylinder; Emergency exit sign illuminated / Operating voltage 24 V DC	193547	green	77 x 197 x 88 mm	24 V DC
Terminal T 320 AP - EN 13637 *	Consisting of:; Control unit with emergency push button,; Key switch with Euro profile half cylinder; Emergency exit sign illuminated / Operating voltage 24 V DC	193548	white aluminium	77 x 197 x 88 mm	24 V DC

Terminal T 320 AP – EN 13637 *

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.